

On the Diophantine Equation $1023^x + 8^y = z^2$

¹Somnuk Srisawat*, ²Amaraporn Bumpendee, and ³Piyada Phetarwut

Author Affiliation:

¹Department of Mathematics and Computer Science, Faculty of Science and Technology, Rajamangala University of Technology Thanyaburi, Thailand, E-mail: somnuk_s@rmutt.ac.th

²Department of Mathematics and Computer Science, Faculty of Science and Technology, Rajamangala University of Technology Thanyaburi, Thailand, E-mail: amaraporn_b@rmutt.ac.th

³Department of Mathematics and Computer Science, Faculty of Science and Technology, Rajamangala University of Technology Thanyaburi, Thailand, E-mail: piyada.arwut@gmail.com

*Corresponding Author: Somnuk Srisawat, Department of Mathematics and Computer Science, Faculty of Science and Technology, Rajamangala University of Technology Thanyaburi, Pathum Thani 12110, Thailand, E-mail: somnuk_s@rmutt.ac.th

ABSTRACT

In this paper, we discussed the solution of the Diophantine equation $1023^x + 8^y = z^2$, where x, y and z are non-negative integers. The results showed that this Diophantine equation has exactly three non-negative integer solutions. The solutions are $(x, y, z) = (0, 1, 3), (1, 0, 32)$ and $(2, 4, 1025)$.

Keywords: Diophantine equation, Non-negative integer solutions, Congruence.

How to cite this article: Srisawat S., Bumpendee A. and Phetarwut P. On the Diophantine Equation $1023^x + 8^y = z^2$. *Bulletin of Pure and Applied Sciences- Math & Stat.*, 2025;44E (2): 67-69.

Received on 22.02.2025, Revised on 03.05.2025, Accepted on 14.07.2025

1. INTRODUCTION

Diophantine equations are equations in which the solutions are required to be integers. It is a popular topic in Number theory and has many vital applications. Many mathematicians have studied the Diophantine equation of the form $a^x + b^y = z^2$, where a, b are fixed integers and x, y, z are non-negative integers (see for instance [1,2,3,4,5]).

In 2020, Sudhanshu, A. and Nidhi, S. studied the Diophantine equation $379^x + 397^y = z^2$. They proved that this Diophantine equation has no non-negative integer solution. [1]

In 2024, Manikandan, K. and Venkatraman, R. showed that the Diophantine equation $8^x + 161^y = z^2$ has exactly two non-negative integer solutions. The solutions are $(x, y, z) = (0, 1, 3)$ and $(1, 1, 13)$. [4]

2. PRELIMINARIES

Theorem 2.1

(Catalan's conjecture) [6] The Diophantine equation $a^x - b^y = 1$, where a, b, x and y are integers with $\min\{a, b, x, y\} > 1$, has a unique solution $(a, b, x, y) = (3, 2, 2, 3)$.

Lemme 2.2

The Diophantine equation $1 + 8^y = z^2$, where y and z are non-negative integers, has a unique non-negative integer solution $(y, z) = (1, 3)$.

Proof. Let y and z be non-negative integers such that $1 + 8^y = z^2$. If $y = 0$, then $z^2 = 2$. It is a contradiction. Thus $y \geq 1$, we obtain $z^2 = 1 + 8^y \geq 1 + 8^1 = 9$, then $z \geq 3$. According to Theorem 2.1, we have $y = 1$. It implies that $z^2 = 9$, then $z = 3$. Thus, $(y, z) = (1, 3)$ is a solution of the Diophantine equation $1 + 8^y = z^2$. \square

Lemme 2.3

The Diophantine equation $1023^x + 1 = z^2$, where x and z are non-negative integers, has a unique non-negative integer solution $(x, z) = (1, 32)$.

Proof. Let x and z be non-negative integers such that $1023^x + 1 = z^2$. If $x = 0$, then $z^2 = 2$. It is a contradiction. Thus $x \geq 1$, we obtain $z^2 = 1023^x + 1 \geq 1023^1 + 1 = 1024$, then $z \geq 32$. According to Theorem 2.1, we have $x = 1$. It implies that $z^2 = 1024$, then $z = 32$. Thus, $(x, z) = (1, 32)$ is a solution of the Diophantine equation $1023^x + 1 = z^2$. \square

3. RESULTS AND DISCUSSION

Theorem 3.1

The Diophantine equation $1023^x + 8^y = z^2$, where x, y and z are non-negative integers, has exactly three non-negative integer solutions. The solutions are $(x, y, z) = (0, 1, 3), (1, 0, 32)$ and $(2, 4, 1025)$.

Proof. Let x, y and z be non-negative integers such that $1023^x + 8^y = z^2$. We divide the proof into four cases as follows:

Case 1. $x = 0$ and $y = 0$.

We have $z^2 = 2$, which is a contradiction.

Case 2. $x = 0$ and $y > 0$.

We have $1 + 8^y = z^2$. By Lemma 2.2, we obtain $(x, y, z) = (0, 1, 3)$.

Case 3. $x > 0$ and $y = 0$.

We have $1023^x + 1 = z^2$. By Lemma 2.3, we obtain $(x, y, z) = (1, 0, 32)$.

Case 4. $x > 0$ and $y > 0$.

Since 1023^x and 8^y are odd and even integers, respectively, thus $z^2 = 1023^x + 8^y$ is an odd integer.

It implies that z is an odd integer. We obtain $z^2 \equiv 1 \pmod{4}$. Now, since $8^y \equiv 0 \pmod{4}$. Thus

$1023^x \equiv 1 \pmod{4}$. We get that x is even. Let $x = 2k, k \in \mathbb{Z}^+$. We obtain $1023^{2k} + 8^y = z^2$. Then

$z^2 - 1023^{2k} = 8^y$. Thus $(z - 1023^k)(z + 1023^k) = 2^{3y}$. There exists a non-negative integer u such

that $z - 1023^k = 2^u$ and $z + 1023^k = 2^{3y-u}$, where $3y - u > u, 3y - 2u > 0$. We obtain

$$2(1023^k) = 2^{3y-u} - 2^u$$

$= 2^u(2^{3y-2u} - 1)$. Then we get that $u = 1$. Thus $1023^k = 2^{3y-2} - 1$. If $k = 1$, we have $2^{3y-2} = 1024$. Then

$y = 4$. Thus, $(x, y, z) = (2, 4, 1025)$ is a solution of equation $1023^x + 8^y = z^2$. If $k > 1$, then

$2^{3y-2} = 1023^k + 1 > 1023^1 + 1 = 1024 = 2^{10}$. Thus $3y - 2 > 10$. We have $\min\{1023, k, 2, 3y - 2\} = 2 > 1$.

According to Theorem 2.1, the equation $2^{3y-2} - 1023^k = 1$ has no non-negative integer solution. \square

4. CONCLUSION

In this paper, we showed that the Diophantine equation $1023^x + 8^y = z^2$ has exactly three non-negative integer solutions. The solutions are given by $(x, y, z) = (0, 1, 3), (1, 0, 32)$ and $(2, 4, 1025)$. We can apply it to study the Diophantine equation $1023^x + 2^{ky} = z^2$, where k is a fixed positive integer and x, y, z are non-negative integers.

REFERENCES

1. Aggarwal S, Sharma N. On the non-linear Diophantine equation. Open J Math Sci. 2020;4(1):397-399.
2. Thongnak S, Chuayjan W, Kaewong T. On the exponential Diophantine equation. Ann Pure Appl Math. 2022;26(1):1-5.
3. Malavika N, Venkatraman R. On the exponential Diophantine equation. Int J Math Comput Sci. 2024;19(3):917-920.
4. Manikandan K, Venkatraman R. On the exponential Diophantine equation. Int J Math Comput Sci. 2024;19(4):1101-1104.
5. Srisawat S, Sriprad W. On the Diophantine equation. Int J Math Comput Sci. 2025;20(2):637-639.
6. Mihăilescu P. Primary cyclotomic units and a proof of Catalan's conjecture. J Reine Angew Math. 2004:167-195.
